



SNP AQUA FILTER

THE FILTER PEOPLE

CATRDIGE FILTER		
WOUND TYPE (IMPORTED)		
SR.NO	DIA & DESCRIPTION	SIZE
1	2.5" WOUND	10"
2	2.5" WOUND	20"
3	2.5" WOUND	30"
4	2.5" WOUND	40"
JUMBO WOUND (IMPORTED)		
5	4" WOUND	10"
+6	4.5" JUMBO WOUND HY	10"
7	4" WOUND	20"
8	4.5" JUMBO WOUND HY	20"
9	4.5" JUMBO WOUND HY	30"
SPUN TYPE (IMPORTED)		
1	2.5" SPUN	10"
2	2.5" SPUN	20"
3	2.5" SPUN	30"
4	2.5" SPUN	40"
JUMBO SPUN (IMPORTED)		
5	4" SPUN	10"
6	4.5" SPUN	10"
7	4" SPUN	20"
8	4.5" SPUN	20"
9	4.5" SPUN	30"
10	4.5" SPUN	40"



BAG FILTERS & ASSEMBLY SET - [HSN CODE :8421]

SR.NO	DIA & DESCRIPTION
1	4" DIA 10" LONG BAG FILTER
2	4" DIA 20" LONG BAG FILTER
3	7X16" DIA LONG BAG FILTER
4	7X32" DIA LONG BAG FILTER
1	10" BAG FILTER ASSEMBLY WITH PRESSURE GAUGES
2	20" BAG FILTER ASSEMBLY WITH PRESSURE GAUGES



PP CATRIDGE HOUSINGS - [HSN CODE :8421]

SR.NO	ITEM
1	SLIMLINE FILTER HOUSING(3/4")
2	SLIMLINE FILTER HOUSING(3/4")
3	SLIMLINE FILTER HOUSING(1")
1	PP BIG BLUE FILTER HOUSING(1-1/2")
2	PP BIG BLUE FILYER HOUSING(1")
3	PP BIG BLUE FILYER HOUSING(1-1/2")



ELECTRONIC - DOSING PUMPS - [HSN CODE :8413]

SR.NO	ITEM
1	STARMECH
2	E DOSE PUMP -6 LPH
3	INITIATIVE DOSING PUMP
4	DOSING PUMP 6 LPH- UKL



DOSING TANK - POLYETHYLIC - [HSN CODE :3925]

SR.NO	ITEM
1	30 LITER DOSING TANK
2	50 LITER DOSING TANK
3	100 LITER DOSING TANK
4	200 LITER DOSING TANK
5	500 LITER DOSING TANK



FILTER VESSELS (PENTAIR BRANDED) MANUFACTURING IN GOA - [HSN CODE :8421]

SR.NO	ITEM
1	PDG TANKS PENTAIR 8X44 2.5" TOP
2	PDG TANKS PENTAIR 10X54 2.5" TOP
3	PDG TANKS PENTAIR 12X48 2.5" TOP
4	PDG TANKS PENTAIR 13X54 2.5" TOP
5	PDG TANKS PENTAIR 14X65 4" TOP
6	PDG TANKS PENTAIR 16X65 4" TOP
7	PDG TANKS PENTAIR 18X65 WITH DISTRIBUTION KIT
8	PDG TANKS PENTAIR 21X62 WITH DISTRIBUTION KIT 4" T/4" B-10 BAR
9	PDG TANKS PENTAIR 24X72 WITH DISTRIBUTION KIT 4" T/4" B-10 BAR
10	PDG TANKS PENTAIR30X72 WITH DISTRIBUTION KIT



**MULTIPOINT VALVE - (Initiative) / (UKL) / (Initiative Engineering)
- [HSN Code : 8421]**

UKL

sr.no	ITEM
1	20 NB TMF
2	20 NB TMS
3	25 NB FF (F)
4	25 NB FF (S)
5	25 NB TMF(OLD)
6	25 NB TMS(OLD)
7	40 NB SMF
8	40 NB SMS
9	40 NB TMF
10	40 NB TMS

INITIATIVE

1	20 NB TMF
2	20 NB TMS
3	25 NB TMF
4	25 NB TMS
5	40 NB SMF
6	40 NB SMS
7	40 NB TMF
8	40 NB TMS

INITIATIVE ENGINEERING

1	20 NB TMF
2	20 NB TMS
3	25 NB FFF
4	25 NB FFS
5	40 NB SMF
6	40 NB SMS



DISTRIBUTION SYSTEM - [HSN CODE : 8421]	
S.NO	ITEM
1	4" TOP DISTRIBUTION SYSTEM
2	18 X 65 BOTTOM STRAINER
3	21 X 62 BOTTOM STRAINER
4	24 X 72 BOTTOM STRAINER
5	30 X 72 BOTTOM STRAINER
6	36 X 72 BOTTOM STRAINER



CENTRIFUGAL PUMPS - SINJEE - [HSN Code :9026]		
PRIMUS - SELF PRIMING PUMPS - BJZ SERIES		
Sr.No	Particulars	Kw
Horizontal Pump		
1	BJZ037- Single Phase	0.37
2	BJZ075- Single Phase	0.5
3	BJZ100-Single Phase	0.75
4	BJZ150-Single Phase	1
Vertical Pump		
1	BJZ037- Three Phase	0.37
2	BJZ075- Three Phase	0.5
3	BJZ100-Three Phase	0.75
4	BJZ150-Three Phase	1
Vertical Pump		
1	JTS 3-07 - Single Phase	0.75
2	JTS 3-07 - Three Phase	



CRI PUMPS- MONO BLOCK / CASTIAN PUMPS

250 / 500 / 1000 LITRES

1	ROYALE - 52
2	DORA - 50
3	ROYALE - 100
4	DORA - 100



GENVIK - HIGH PRESSURE PUMP

SELF PRIMING/ MONOBLOCK PUMP

1.	MISTY 50 1PH 0.5 HP (800f/2.5 kg)	1PH
2.	DEW 50 - (600 f / 2.5 kg)	1PH
1.	KC 15 - 43 1.5 HP	1 PH / 3 PH

HIGH PRESSURE PUMP - 1PHASE

1	1.5 HP KVC-2/09 SR SSV 1PUMPSET	1 PH
2	1.5 HP KVC-2/11 SR SSV 1PUMPSET	1 PH
3	2.0 HP KVC-2/15 SR SSV 1PUMPSET	1 PH
4	3.0 HP KVC-2/18 SR SSV 1PUMPSET	1 PH
5	3.0 HP KVC-2/22 SR TCV 1PUMPSET	1 PH
6	3.0 HP KVC-4/12 SR SSV 1PUMPSET	1 PH



HIGH PRESSURE PUMP - 3PHASE		
1	1.5HP KVC- 2/11 TR SSV 1 PUMPSET	3 PH
2	2.0HP KVC- 2/15 TR SSV 1 PUMPSET	3 PH
3	1.5HP KVC- 2/18 TR SSV 1 PUMPSET	3 PH
4	3.0HP KVC- 2/22 TR TCV 1 PUMPSET	3 PH
5	3.0HP KVC- 4/12 TR SSV 1 PUMPSET	3 PH
6	4.0HP KVC- 4/16 TR SSV 1 PUMPSET	3 PH
7	5.5HP KVC- 4/22 TR SSV 1 PUMPSET	3 PH



RO Housing - UKL - [HSN Code :8421] END PORT ASSEMBLY		
<i>4" RO HOUSING White colour with molded Nylon End Cap, EPDM "O" Rings, Finger Pull SS Retaining Rings and Saddle strap Assembly</i>		
Sr.No	SIZE	ELEMENT LONG
1	4"X40"	1ele Long
2	4"X80"	2 ele Long
3	4"X120"	3 ele Long
COMBRO		
<i>8" RO HOUSING White colour with moulded Nylon End Cap, EPDM "O" Rings, Finger Pull SS Retaining Rings and Saddle strap Assembly</i>		
Sr.No	SIZE	ELEMENT LONG
1	8"X40"	1ele Long
2	8"X80"	2 ele Long



REGULAR MODEL

8" RO HOUSING White colour with moulded Nylon End Cap, EPDM "O" Rings, Finger Pull SS Retaining Rings and Saddle strap Assembly

Sr.No	SIZE	ELEMENT LONG
1	8"X40"	1ele Long
2	8"X80"	2 ele Long
3	8"X120"	3 ele Long

RO Housing - UKL SIDE PORT ASSEMBLY

8" RO HOUSING Premium Quality with Aluminium End Caps, SS feed Ports and Extra Thickness with mirror Finish

Sr.No	SIZE	ELEMENT LONG
1	8"X40"	1ele Long
2	8"X80"	2 ele Long
3	8"X120"	3 ele Long



REVERSE OSMOSIS MEMBRANE - [HSN Code :8421]

4" REVERSE OSMOSIS

Sr.No	ITEM	SIZE	Make
1	Dow Bw 4040 Reverse Osmosis Membrane (FLIM TECH)	4"	FLIMTECH(USS Make)
2	CPA2 4040 Reverse Osmosis Membrane (HYDRANAUTICS)	4"	HYDRANAUTICS(USS Make)
3	TORAY 4040 Reverse Osmosis Membrane (TORAY)	4"	Made in CHINA,
4	HID 4040 Reverse Osmosis Membrane (HID)	4"	Using Japan Tecchnology
5	TFC REVERSE OSMOSIS MEMBRANE (POLYMAX)	4"	
6	HYDROMEM 4040 Reverse Osmosis Membrane (HYDROMEM)	4"	
7	T-4040 Reverse Osmosis Membrane (TOSHIO)	4"	

8" REVERSE OSMOSIS		
1	Dow Bw 8040 Reverse Osmosis Membrane (FLIM TECH)	8"
2	CPA2 8040 Reverse Osmosis Membrane (HYDRANAUTICS)	8"
3	TORAY 8040 Reverse Osmosis Membrane (TORAY)	8"
4	HYDROMEM 8040 Reverse Osmosis Membrane (HYDROMEM)	8"



PRESSURE GAUGES 2014-2015 (USS Make) - (SS CODING) - [HSN Code :9026]	
Sr.No	Item
1	0-100 Psi, 1/4 dia, Liq Filled Back Entry"
2	0-300 Psi, 1/4 dia, Liq Filled Back Entry"
3	0-100 Psi, 1/4 dia, Liq Filled Bottom Entry"
4	0-300 Psi, 1/4 dia, Liq Filled Bottom Entry"
1	0-100 Psi, 1/2" Liq Filled (Online)
2	0-300 Psi, 1/2" Liq Filled (Online)
3	0-100 Psi, 1/2" Liq Filled (Panel)
4	0-300 Psi, 1/2" Liq Filled (Panel)



U.V SYSTEM

Sr.No	Item
1	250 & 500 Lph UV System (2 - Pin)
2	1000 Lph UV System (2 - Pin)
3	1000 Lph UV System (4 - Pin)
4	4000 Lph UV System (2 - Pin)
5	4000 Lph UV System (4 - Pin)
6	6000 Lph UV System (4 - Pin)
7	8000 Lph UV System (4 - Pin)



FLOWMETER - PANEL MOUNTED ACRLIC [HSN Code :9026]

Sr.No	Range	Size
1	60-660	1/2"
2	120-1200	1/2"
3	480-2400	3/4"
4	480-3600	3/4"
5	600-7800	1"
6	1200-10200	1"



PANEL MOUNTED ROTAMETER [HSN Code :9026]

Sr.no	Model	Rotameter Range	Description
1	F200s(1/2")	20-200 lph	Panel mount / Plastic elbows 1/2"bspm
2	F500s(1/2")	50-500 lph	Panel mount / Plastic elbows 1/2"bspm
3	F1200es(1/2")	200-2000 lph	Panel mount / Plastic elbows 1/2"bspm
4	F1200(3/4")	100-1200 lph	Panel mount / Plastic elbows 3/4"bspm
5	F1200(1")	100-1200 lph	Panel mount / Plastic elbows 1" bspm

6	F2400(3/4")	200-2400 lph	Panel mount / Plastic elbows 3/4"bspm
7	F2400(1")	200-2400 lph	Panel mount / Plastic elbows 1" bspm
8	F3000(3/4")	300-3000 lph	Panel mount / Plastic elbows 3/4 "bspm
9	F3000(1")	300-3000 lph	Panel mount / Plastic elbloes 1" bspm
10	F5000(1")	500-5000 lph	Panel mount / Plastic elbloes 1" bspm
11	F5000(1.5")	500-5000 lph	Panel mount /Plastic elbows1.5"bspm
12	F7500(1")	500-7500 lph	Panel mount / Plastic elbows 1" bspm
13	F7500(1.5")	500-7500 lph	Panel mount /Plastic elbows 1.5"bspm
14	F1000(1")	2000-10000 lph	Panel mount / Plastic elbloes 1" bspm
15	F10000(1.5")	2000-10000 lph	Panel mount / Plastic elbows1.5" bspm
16	F12000(1")	3000-12000 lph	Panel mount / Plastic elbows 1" bspm
17	F12000(1.5")	3000-12000 lph	Panel mount / Plastic elbows1.5" bspm
18	F15000(1")	3000-15000 lph	Panel mount / Plastic elbows 1"bspm
19	F15000(1.5")	3000-15000 lph	Panel mount / Plastic elbows 1.5" bspm
20	F20000(2")	2000-20000 lph	Panel mount / Plastic elbows 2" bspm
21	F30000(2.5")	3000-30000 lph	Panel mount / Plastic elbows 2.5" bspm
22	F50000(2.5")	10000-50000 lph	Panel mount / Plastic elbows 2.5" bspm
23	F60000(2.5")	20000-60000 lph	Panel mount / Plastic elbows 2.5" bspm

ONLINE ROTAMETER [HSN Code : 9026]

Sr.no	Model	Rotameter Range	Description
1	F200s(1/2")	20-200 lph	Online / Plastic union 1/2"bspm
2	F500s(1/2")	50-500 lph	Online / Plastic union 1/2" bspm
3	F1200es(1/2")	200-1200 lph	Online / Plastic union 1/2"bspm
4	F1200(3/4")	100-1200 lph	Online / Plastic union 3/4"bspm
5	F1200(1")	100-1200 lph	Online /Plastic union 1" bspm
6	F2400(3/4")	200-2400 lph	Online / Plastic union 3/4"bspm
7	F2400(1")	200-2400 lph	Online / Plastic union 1" bspm

8	F3000(3/4")	300-3000 lph	Online / Plastic union 3/4" bspm
9	F3000(1")	300-3000 lph	Online / Plastic union 1" bspm
10	F5000(1")	500-5000 lph	Online / Plastic union 1" bspm
11	F5000(1.5")	500-5000 lph	Online / Plastic union 1.5" bspm
12	F5000(2")	500-5000 lph	Online / Plastic union 2" bspm
13	F7500(1")	500-7500 lph	Online / Plastic union 1" bspm
14	F7500(1.5")	500-7500 lph	Online / Plastic union 1.5" bspm
15	F7500(2")	500-7500 lph	Online / Plastic union 2" bspm
16	F10000(1")	2000-10000 lph	Online / Plastic union 1" bspm
17	F10000(1.5")	2000-10000 lph	Online / Plastic union 1.5" bspm
18	F10000(2")	2000-12000 lph	Online / Plastic union 2" bspm
19	F12000(1")	3000-12000 lph	Online / Plastic union 1" bspm
20	F12000(1.5")	3000-12000 lph	Online / Plastic union 1.5" bspm
21	F12000(2")	3000-12000 lph	Online / Plastic union 2" bspm
22	F15000(1")	3000-15000 lph	Online / Plastic union 1" bspm
23	F15000(1.5")	3000-15000 lph	Online / Plastic union 1.5" bspm
24	F15000(2")	3000-15000 lph	Online / Plastic union 2" bspm
25	F20000(2")	2000-20000 lph	Online / Plastic union 2" bspm
26	F20000(2.5")	2000-20000 lph	Online / Plastic union 2.5" bspm
27	F30000(2")	3000-30000 lph	Online / Plastic union 2" bspm
28	F30000(2.5")	3000-30000 lph	Online / Plastic union 2.5" bspm
29	F50000(2")	10000-50000 lph	Online / Plastic union 2" bspm
30	F50000(2.5")	10000-50000 lph	Online / Plastic union 2.5" bspm
31	F60000(2")	20000-60000 lph	Online / Plastic union 2" bspm
32	F60000(2.5")	20000-60000 lph	Online / Plastic union 2.5" bspm



CHEMICAL - OCH (Manufacturing in MAHARASHTRA - [HSN Code :9026]

Sr.no	Application	Product Code	Key Characteristics
1	Antiscalent	OCH 901	Low TDS Antiscalent
2	Antiscalent	OCH 1301	Bottling Plant,Neutral PH suitable for silica, Hardness
3	Silica Antiscalent	OCH 1401	LSI up to +2.5,Silica up to 300 ppm in reject
4	Hi Silica Antiscalent & Hardness	OCH 1601	Suitable for High silica & Hi hardness
5	Antiscalent for Hardness & Biofouling	OCH 1801	LSI up to +2.5, Control biological count
6	Iron Antiscalent	OCH 1802	LSI up to +2.5, Iron upto 1 ppm in reject
1	Ph Booster Liquid	OCH L 125	Increases alkanlinity of portable water
2	Ph Booster Liquid	OCH L 150	Increases alkanlinity of portable water
3	Ph taste enhancer liquid	OCH L 301	Increases alkanlinity of portable water
4	Ph booster powder	Sodium Bi Carbonate	Increases alkanlinity of portable water
5	Ph booster powder	Sodium Hydroxide	Increases alkanlinity of portable water
6	Ph booster powder	Magnesium Sulphate	Increases alkanlinity of portable water
7	Ph booster powder	Pottassium Bi Carbonate	Increases alkanlinity of portable water
1	High Ph Membrane Cleaner (Liquid)	OCH CL 201	Removes organic foulantsand biological slimes and biofilms,Effective clean oil,clay,silit and silica
2	Low Ph Membrane Cleaner (Liquid)	OCH CL 202	Removes carbonates & Sulphate of calcuim,barium and magnesium
3	High Ph Membrane Cleaner (Liquid)	OCH CL 203	Effectively removes allica and silicate deposits,organic deposits oil,clay,silit
4	Low Ph Membrane Cleaner (Liquid)	OCH CL 204	Effectively removes Iron and Iron oxide deposits,removes carbonates and sulfates salts
1	Non Oxidizing Biocide	OCH BIO 251	Non Oxidizing,Non-Ionic antimicrobial reverse Osmosis disinfectant
2	Non Oxidizing Biocide	OCH BIO 252	Non Oxidizing,Non-Ionic antimicrobial reverse Osmosis disinfectant

TDS & PH METER (PEN TYPE) - [HSN Code :9026]

Sr.no	Item	Brand Name
1	TDS METER (AP- 1) WHITE	HM DIGITAL
2	TDS METER (TDS -3) BLACK	HM DIGITAL
3	PH METER (PH - 80) HYDRO TESTER	HM DIGITAL
4	PH METER- (Pen Type Meter)	AQUA SOL
5	TDS CONDUCTIVITY with CONTROLLER	HM DIGITAL
6	HARDNESS TESTING KIT	AQUA SOL
7	HARDNESS TESTING KIT	RIVA



AUTO FLOAT SWITCH (Made in INDIA) - [HSN Code :9026]

Sr.no	Item	Brand Name
1	2 METERS FLOAT SWITCH	AUTO FILL
2	3 METERS FLOAT SWITCH	AUTO FILL
3	5 METERS FLOAT SWITCH	AUTO FILL



PRESSURE SWITCH

Sr.No	ITEM	Model	Diff	Diff
1	LOW PRESSURE SWITCH	KP 35	0.7/4bar	0.7/4bar
2	HIGH PRESSURE SWITCH	KP 36	0.7/4bar	0.7/4bar



SOLENOID VALVE - (Made in CHINA)- [HSN Code :9026]

Sr.No	ITEM	Model
1	Solenoid valve 3/4"	OXEN
2	Solenoid valve 1"	OXEN



VICTAULIC TYPE COUPLING - NATIONAL

S.No	ITEM - SS VICTUALIC
1	1" SS304 Victaulic Type Couplings
2	1.5" SS304 Victaulic Type Couplings
3	2" SS304 Victaulic Type Couplings



S.No	ITEM - MS VICTUALIC
2	1" MS Victaulic Type Couplings
4	1.5" MS Victaulic Type Couplings
5	2" MS Victaulic Type Couplings



MS Victualic Coupling Rubber

S.No	ITEM
1	MS Vitraulic Coupling Rubber 1"
2	MS Vitraulic Coupling Rubber 1 1/2"
3	MS Vitraulic Coupling Rubber 2"



1	Nipple - Brass
2	Nipple - SS
3	10 mm Hose
4	8 mm Hose



MEDIA	
S.No	ITEM
1	Fine Sand
2	White Fine Sand
3	Coarse Sand
4	Coarse Silex
5	Fine Silex
6	Silex 10mm
8	Pebbles 3/4 X1/2
9	Pebbles 1/2 X1/4
10	Anthracite
11	MNO 2
12	Green Sand
CARBON	
13	Activated Carbon 900IV- COAL
14	Coconut Shell 600IV
15	Coconut Shell 900IV
RESIN	
16	RESIN - ION EXCHANGE



Sr.No	Item
1	SS Tank 500 Ltrs
2	SS Tank 1000 Ltrs
3	SS Tank 2000 Ltrs
4	SS Tank 3000 Ltrs
Sr.no	Item
1	SS 304 Micron Housing 20X3
2	SS 304 Micron Housing 20X5
3	SS 304 Micron Housing 30X3
4	SS 304 Micron Housing 30X5
5	SS 304 Micron Housing 40X3
6	SS 304 Micron Housing 40X5



DOMESTIC

S.No	ITEM
1	RO Domestic Plant - Dolphin / A Star / I Blue / Polo
2	E-Chen Pump
3	Kem Flow Pump 48W
4	Membrane - Vontron / Dow film Tech / Pentair
5	Adaptor- SMPS 36 & 28V

